

I KATHRYN MICHELLE OSWELL REVIEW AND TAKE RESPONSIBILITY FOR THE DESIGN AND AM QUALIFIED IN THE APPROPRIATE CATEGORY AS AN "OTHER DESIGNER" UNDER SUBSECTION 3.2.5. OF DIVISION C OF THE ONTARIO BUILDING CODE.

INDIVIDUAL BCIN: 44135


VLADISLAV BISTROV BEAUSOLEL


34 BEAUSOLEIL DR. PENETANGUISHENE, ON

COVER PAGE	
PROJECT NAME	BEAUSOLEIL
DATE	MAY 18, 2021
DRAWN BY	MICHELLE OSWELL

SCALE

SHEET NUMBER





SITE 3/32" = 1'-0"

I KATHRYN MICHELLE OSWELL REVIEW AND TAKE RESPONSIBILITY FOR THE DESIGN AND AM QUALIFIED IN THE APPROPRIATE CATEGORY AS AN "OTHER DESIGNER" UNDER SUBSECTION 3.2.5. OF DIVISION C OF THE ONTARIO BUILDING CODE.

GNED: INDIVIDUAL BCIN: 44135


DATE: MAY 18, 2021


VLADISLAV BISTROV BEAUSOLEL


34 BEAUSOLEIL DR. PENETANGUISHENE, ON


SITE PLAN	
PROJECT NAME	BEAUSOLEIL
DATE	MAY 18, 2021
DRAWN BY	MICHELLE OSWELL
CCALE	As indicated

SHEET NUMBER









PARTITION DIMENSIONS ARE TO FINISHED FACES UNLESS OTHERWISE NOTED

1.ALL DIMENSIONS AND EXISTING MEMBERS TO BE VERIFIED ON SITE BY CONTRACTOR. 2.DISCONNECT AND MAKE SAFE ALL MECHANICAL AND ELECTRICAL CONNECTIONS AND ITEMS PRIOR TO DEMOLITION.

AS REQUIRED BY THE CODE (SB2);

- 1/2" PLYWOOD, OSB/WAFERBOARD, OR 11/16" T&G LUMBER SUBFLOOR

- 2"X12" WOOD JOIST MIN. @ MAX. 16"O.C. W/ 3-1/2" ABSORPTIVE MATERIAL

- W. 1 LAYER 5/8" TYPE 'X' GYPSUM WALL BOARD
NOTE: EXISTING CEILING DRYWALL TO BE REMOVED AND NEW 5/8" TYPE 'X' TO BE ENTIRELY CONTINUOUS. OTHERWISE ALL WALLS NEED TO BE CONSTRUCTED AS 30 MIN. FIRE RATING
4. ALL SUPPORTING STRUCTURES (COLUMNS, BEAMS, ARCHES, TUBS) TO BE SAME RATING AS WHAT THEY SUPPORT INCLUDING EXTERIOR WALLS, UNLESS CEILING JOIST REST ON FOUNDATION WALL.

	WALL SCHEDULE	
MARK	DESCRIPTION	FIRE RATING
W1	1/2" GYPSUM WALL BOARD 2"X4" WOOD STUD @ 16-24" O.C. 1/2" GYPSUM WALL BOARD	
W2	1/2" GYPSUM WALL BOARD 1-1/2"X3-1/2" WOOD STUD @ 16-24" O.C. 1/2" GYPSUM WALL BOARD	
W3	2"x4" WOOD STUD @16-24" O.C. W/ 2 LAYERS 5/8" TYPE 'X' GYPSUM WALL BOARD	30 MIN. (SB2)
W4	2" X 4" WOOD STUDS @ 16-24" O.C. 5/8" TYPE 'X' GYPSUM WALL BOARD	45 MIN. (SB2)
W5	2"X4" WOOD STUD @ 16-24" O.C. 1/2" GYPSUM WALL BOARD	

DWELLING UNIT FLOOR AREA: 994 SQFT BULK HEAD HEIGHT: 7'6"

NATURAL VENTILATION REQUIREMENTS FOR KITCHEN MINIMUM UNOBSTRUCTED AREA: 3 SQFT PROVIDED UNOBSTRUCTED AREA: 9+ SQFT

NATURAL LIGHTING REQUIREMENTS FOR LIVING/DINNG ROOM TOTAL ROOM SIZE: 305 SQFT

REQUIRED LIGHTING: 30.5 SQFT

PROVIDED LIGHTING: 33.48 SQFT

NATURAL LIGHTING REQUIREMENTS FOR BEDROOM 1
TOTAL ROOM SIZE: 105 SQFT
REQUIRED LIGHTING: 5.25 SQFT
PROVIDED LIGHTING: 5.31 SQFT

NATURAL LIGHTING REQUIREMENTS FOR BEDROOM 2 TOTAL ROOM SIZE: 131SOFT REQUIRED LIGHTING: 6.55 SQFT

PROVIDED LIGHTING: 20.63 SQF1

DENOTES FIRE SEPARATION

DENOTES ROOM SEPARATION -

DATE:_ MAY 18, 2021

PROPOSED BASEMENT

3/16" = 1'-0"


I KATHRYN MICHELLE OSWELL REVIEW AND TAKE RESPONSIBILITY FOR THE DESIGN AND AM QUALIFIED IN THE APPROPRIATE CATEGORY AS AN "OTHER DESIGNER" UNDER SUBSECTION 3.2.5. OF DIVISION C OF THE ONTARIO BUILDING CODE. INDIVIDUAL BCIN: 44135

VLADISLAV BISTROV BEAUSOLEL

34 BEAUSOLEIL DR. PENETANGUISHENE, ON

PROPOSED BASEMENT	
PROJECT NAME	BEAUSOLEIL
DATE	MAY 18, 2021
DRAWN BY	MICHELLE OSWELL
SCALE	3/16" = 1'-0"

SHEET **NUMBER**



PARTITION DIMENSIONS ARE TO FINISHED FACES UNLESS OTHERWISE NOTED

1.ALL DIMENSIONS AND EXISTING MEMBERS TO BE VERIFIED ON SITE BY CONTRACTOR. 2.DISCONNECT AND MAKE SAFE ALL MECHANICAL AND ELECTRICAL CONNECTIONS AND ITEMS PRIOR TO DEMOLITION.

3. ALL FLOORS SEPARATING A UNIT NEED TO BE CONSTRUCTED AS A 30MIN FIRE SEPARATION ASREQUIRED BY THE CODE (SB2);


- 1/2" PLYWOOD, OSB/WAFERBOARD, OR 11/16" T&G LUMBER SUBFLOOR

- 2"X8" WOOD JOIST MIN. @ MAX. 16"O.C. W/ 3-1/2" ABSORPTIVE MATERIAL

- W/ 1 LAYER 5/8" TYPE 'X' GYPSUM WALL BOARD
**NOTE: EXISTING CEILING DRYWALL TO BE REMOVED AND NEW 5/8" TYPE 'X' TO BE ENTIRELYCONTINUOUS. OTHERWISE ALL WALLS NEED TO BE CONSTRUCTED AS 30 MIN.

A ALL SUPPORTING STRUCTURES (COLUMNS, BEAMS, ARCHES, TUBS) TO BE SAME RATING ASWHAT THEY SUPPORT INCLUDING EXTERIOR WALLS, UNLESS CEILING JOIST REST ON FOUNDATION WALL.

DWELLING UNIT FLOOR AREA: 1051 SQFT TOTAL SQFT OF HOUSE: 2500 SQFT CEILING HEIGHT: 9'0"



PROPOSED 1ST FLOOR

3/16" = 1'-0"

I KATHRYN MICHELLE OSWELL REVIEW AND TAKE RESPONSIBILITY FOR THE DESIGN AND AM QUALIFIED IN THE APPROPRIATE CATEGORY AS AN "OTHER DESIGNER" UNDER SUBSECTION 3.2.5. OF DIVISION C OF THE ONTARIO BUILDING CODE.

INDIVIDUAL BCIN: 44135

DATE:_ MAY 18, 2021


VLADISLAV BISTROV BEAUSOLEL


34 BEAUSOLEIL DR. PENETANGUISHENE, ON

PROPOSED FIRST FLOOR

PROJECT NAME BEAUSOLEIL MAY 18, 2021 DATE MICHELLE OSWELL DRAWN BY SCALE 3/16" = 1'-0"

SHEET **NUMBER**





I KATHRYN MICHELLE OSWELL REVIEW AND TAKE RESPONSIBILITY FOR THE DESIGN AND AM QUALIFIED IN THE APPROPRIATE CATEGORY AS AN "OTHER DESIGNER" UNDER SUBSECTION 3.2.5. OF DIVISION C OF THE ONTARIO BUILDING CODE.

INDIVIDUAL BCIN: 44135


DATE:_ MAY 18, 2021


VLADISLAV BISTROV BEAUSOLEL

34 BEAUSOLEIL DR. PENETANGUISHENE, ON

LIFE SAFETY PLAN	
PROJECT NAME	BEAUSOLEIL
DATE	MAY 18, 2021
DRAWN BY	MICHELLE OSWELL
SCALE	As indicated

SHEET NUMBER





1ST FLOOR LIFE SAFETY

3/16" = 1'-0"

I KATHRYN MICHELLE OSWELL REVIEW AND TAKE RESPONSIBILITY FOR THE DESIGN AND AM QUALIFIED IN THE APPROPRIATE CATEGORY AS AN "OTHER DESIGNER" UNDER SUBSECTION 3.2.5. OF DIVISION C OF THE ONTARIO BUILDING CODE. INDIVIDUAL BCIN: 44135


DATE:_MAY 18, 2021


VLADISLAV BISTROV BEAUSOLEL


34 BEAUSOLEIL DR. PENETANGUISHENE, ON

LIFE SAFETY PLAN	
PROJECT NAME	BEAUSOLEIL
DATE	MAY 18, 2021
DRAWN BY	MICHELLE OSWELL
SCALE	As indicated

SHEET NUMBER







								DOO	R SCHE	DUL	E								
		I	DOOR				FRAME HANDLE			HANDLE	LOCKSET				ACCESSORIES				
Mark	Door Size (Door Type)	Door Thickness	Fire Rating	Door Material	Door Finish	Door Glass	Frame Type	Frame Material	Frame Finish	Frame Const.	Lever	Deadbolt	Privacy	Keyed	Passage	Dummy	Closer	Wall Stop	Comments
1	32"	0' - 1 1/2"	-	HCW	PAINT	_	Е	PW	PAINT	KD	Х	_	Х	_	_	_	_	Х	!
2	32"	0' - 1 1/2"	-	HCW	PAINT	_	E	PW	PAINT	KD	X	-	X	-	-	-	-	X	
3	32"	0' - 1 1/2"	-	HCW	PAINT	-	E	PW	PAINT	KD	X	-	X	-	-	-	-	X	
4	32"	0' - 1 1/2"	-	HCW	PAINT	-	Е	PW	PAINT	KD	Х	-	Х	-	-	-	-	Х	
5	32"	0' - 1 1/2"	-	HCW	PAINT	-	E	PW	PAINT	KD	X	-	-	-	Х	-	-	-	
6	24"	0' - 1 1/2"	-	HCW	PAINT	-	E	PW	PAINT	KD	X	-	-	-	Х	-	-	-	
7	18"	0' - 1 1/2"		HCW	PAINT	-	E	PW	PAINT	KD	X	-	-	-	Х	-	-	X	
9	4' 4'	0' - 2" 0' - 2"	-	HCW	PAINT PAINT	-	E	PW PW	PAINT PAINT	KD KD	X	-	-	-	-	X	-	-	

DOOR AND FRAME ABBREVIATIONS

HM HOLLOW METAL SCW SOLID CORE WOOD HCW HOLLOW CORE WOOD


IPM INSULATED PREFINISHED METAL CLAD


SG SINGLE GLAZED
DG DOUBLE GLAZED
WG WIRED GLASS*
TG TEMPERED GLASS

PW PRE-HUNG WOOD PS PRESSED STEEL ALUM. ALUMINUM PREF. PREFINISHED

KD KNOCK-DOWN WD WELDED

* WIRED GLASS IS REQUIRED AT ALL FIRE SEPARATIONS





I KATHRYN MICHELLE OSWELL REVIEW AND TAKE
RESPONSIBILITY FOR THE DESIGN AND AM QUALIFIED
IN THE APPROPRIATE CATEGORY AS AN "OTHER
DESIGNER" UNDER SUBSECTION 3.2.5. OF DIVISION C
OF THE ONTARIO BUILDING CODE.
INDIVIDUAL BCIN; 44135

DATE: MAY 18, 2021

VLADISLAV BISTROV BEAUSOLEL


34 BEAUSOLEIL DR. PENETANGUISHENE, ON

SCHEDULE	
PROJECT NAME	BEAUSOLEIL
DATE	MAY 18, 2021
DRAWN BY	MICHELLE OSWELL
SCALE	12" = 1'-0"

SHEET NUMBER

WALL	AREA OF EXPOSED BLDG. FACE (sq.m.)	LIMITING DIST. (m.)	L/h or H/L	PERMITTED % of OPENINGS	ACTUAL % of OPENINGS	FIRE RESISTANCE RATING (hr.)	LISTED DESIGN or DESCRIPTION	COMBUSTIBLE CONSTRUCTION	COMBUSTIBLE CONSTRUCTION, NON-COMBUSTIBLE CLADDING	NON-COMBUSTIBLE CONSTRUCTION
NORTH:	53.5	1.23	N/A	7%	2.47%	N/A	9.10.14.4	N/A	N/A	N/A
SOUTH:	EXISTING	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
EAST:	EXISTING	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
WEST:	EXISTING	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

9.10.14



I KATHRYN MICHELLE OSWELL REVIEW AND TAKE RESPONSIBILITY FOR THE DESIGN AND AM QUALIFIED IN THE APPROPRIATE CATEGORY AS AN "OTHER DESIGNER" UNDER SUBSECTION 3.2.5. OF DIVISION C OF THE ONTARIO BUILDING CODE. INDIVIDUAL BCIN: 44135

SPATIAL SEPARATION - CONSTRUCTION OF EXTERIOR WALLS:

DATE: MAY 18, 2021


VLADISLAV BISTROV BEAUSOLEL


34 BEAUSOLEIL DR. PENETANGUISHENE, ON

///IN	IDOW.	SCHEDULE	=
V V 11 1	41 JC J V V	OCH ILDULL	_

PROJECT NAME	BEAUSOLEIL
DATE	MAY 18, 2021
DRAWN BY	MICHELLE OSWELL
SCALE	As indicated

SHEET NUMBER





MARK	WALL TYPE	LINTEL SIZE	SUPPORT POST SIZE	COMMENTS			
			JACKS	STUDS			
L-1	2x6 OR 2x4 @ 16"c/c TO BE CONFIRMED ON SITE	2-2x6 SPF No.1/2	2-2x6 OR 2-2x4 EA. SIDE	1-2x6 OR 1-2x4 EA. SIDE			

WOOD JOIST AT OPENING1

WOOD LINTEL

2 ELEVATION

1:20

I KATHRYN MICHELLE OSWELL REVIEW AND TAKE RESPONSIBILITY FOR THE DESIGN AND AM QUALIFIED IN THE APPROPRIATE CATEGORY AS AN "OTHER DESIGNER" UNDER SUBSECTION 3.2.5. OF DIVISION C OF THE ONTARIO BUILDING CODE. INDIVIDUAL BCIN: 44135

SIGNED:_

DATE: MAY 18, 2021

VLADISLAV BISTROV BEAUSOLEL

34 BEAUSOLEIL DR. PENETANGUISHENE, ON

DETAILS	
PROJECT NAME	BEAUSOLEIL
DATE	MAY 18, 2021
DRAWN BY	MICHELLE OSWELL
SCALE	As indicated

SHEET NUMBER